



Body Language and Brooder Heat


JUST RIGHT




TOO DRAFTY




TOO COLD




TOO HOT





Turkey



FRF

DuMOR® Poultry Layer 16% Crumble

FEED FOR EGG PRODUCING POULTRY
CAUTION: USE ONLY AS DIRECTED

GUARANTEED ANALYSIS

Crude Protein (min.).....	16.00%
Lysine (min.).....	0.70%
Methionine (min.).....	0.35%
Crude fat (min.).....	2.50%
Crude fiber (max.).....	7.00%
Calcium (Ca) (min.).....	3.80%
Calcium (Ca) (max.).....	4.80%
Phosphorus (P) (min.).....	0.50%
Salt (NaCl) (min.).....	0.25%
Salt (NaCl) (max.).....	0.75%

INGREDIENTS

Processed Grain By-products, Grain Products, Calcium Carbonate, Plant Protein Products, Animal Protein Products, Salt, DL-methionine, L-Lysine, Vitamin E Supplement, Pyridoxine Hydrochloride, Menadione Sodium Bisulfite Complex, Vitamin B₁₂ Supplement, Vitamin A Supplement, Riboflavin Supplement, Niacin Supplement, Folic Acid, Choline Chloride, Calcium Pantothenate, Biotin, Vitamin D₃ Supplement, Manganous Oxide, Zinc Oxide, Copper Sulfate, Calcium Iodate, Sodium Selenite.

RUMINANT MEAT AND BONE MEAL FREE
60Y9-FRF-G 02

DIRECTIONS

For hens producing eggs for human consumption, begin feeding this product as sole ration at approximately 18 weeks of age (prior to onset of laying). For breeding hens, begin feeding as sole ration this product one (1) month prior to egg production.

IMPORTANT


A feeding program is only as effective as the management practices followed.

CAUTION

Store in a dry, well ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, abortion or death.

0046445

DuMOR Poultry
Layer 16% Crumble

 **PURINA® BRAND**

DUCK GROWER W/O GROWER

GUARANTEED ANALYSIS	DIRECTIONS
Crude Protein, (Min)	16.0 % Feed as complete ration to growing duck
Lysine, (Min)	0.63 % from 2 weeks of age to market, not
Methionine, (Min)	0.30 % formulated for game-birds.
Crude Fat, (Min)	3.0 % IMPORTANT
Crude Fiber, (Max)	5.0 % A feeding program is only as effective as the
Calcium (Ca), (Min)	0.40 % management practices and disease control
Calcium (Ca), (Max)	0.90 % measures followed.
Phosphorus, (P), (Min)	0.55 % CAUTION
Salt (NaCl), (Min)	0.20 % Store in a dry area away from insects. Do
Salt (NaCl), (Max)	0.70 % not feed moldy or insect-infested feed to
	birds as it may cause illness, performance
	loss or death.

INGREDIENTS

Grain Products, Plant Protein Products, Processed Grain By-Products, Molasses Products, Calcium Lignin Sulfonate, Animal Protein Products, Monocalcium Phosphate, Calcium Carbonate, Salt, Magnesium Sulfate, Potassium Sulfate, Methionine Supplement, Choline Chloride, Vitamin D₃ Supplement, Riboflavin Supplement, Niacin Supplement, Folic Acid, Calcium Pantothenate, Menadione Dimethylpyrimidinol Bisulfite, (Source Of Vitamin K), Vitamin E Supplement, Vitamin B₁₂ Supplement, Vitamin A Supplement, Manganous Oxide, Zinc Oxide, Copper Sulfate, Calcium Iodate, Sodium Selenite.

DuMOR® Poultry Grower/Finisher 15%

FRF

FOR GROWING AND FINISHING PHEASANTS, QUAIL,
CHUKARS, TURKEY, CHICKENS, DUCKS AND GEESE

CAUTION: USE ONLY AS DIRECTED

GUARANTEED ANALYSIS

Crude Protein (min.)	15.00%
Lysine (min.)	0.65%
Methionine (min.)	0.29%
Crude Fat (min.)	2.70%
Crude Fiber (max.)	5.00%
Calcium (Ca) (min.)	1.00%
Calcium (Ca) (max.)	1.50%
Phosphorus (P) (min.)	0.60%
Salt (NaCl) (min.)	0.25%
Salt (NaCl) (max.)	0.75%
Selenium (Se) (min.)	0.30 ppm

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Vitamin D₃ Supplement, Choline Chloride, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Vitamin B₁₂ Supplement, Riboflavin Supplement, Vitamin A Supplement, Pyridoxine Hydrochloride, Nicotin Supplement, L-Lysine, Folic Acid, Calcium Pantothenate, Biotin, DL-Methionine, Manganous Oxide, Zinc Oxide, Copper Sulfate, Calcium Iodate, Sodium Selenite

RUMINANT MEAT AND BONE MEAL FREE 60Y9 FRF-G 10

DIRECTIONS

Feed to pheasant, quail, turkey and chukar from 12 weeks of age. Birds intended for egg production should be switched to DuMOR Layer 16% feed four weeks prior to onset of egg production.
Feed as sole ration to chickens, ducks and geese greater than 10 weeks of age, until 1 month prior to egg production.

IMPORTANT

A feeding program is only as effective as the management practices followed.

CAUTION

Store in dry, well ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, abortion or death.



49394 05737

Manufactured For:

Tractor Supply Co.

200 Powell Place Brentwood, TN 37027

Feed Questions? Please Call 1-888-719-8066

50 lb (22.67 kg) Net Weight

0046444

60Y7 DuMOR Poultry Grower/Finisher 15%

12-5-11
60Y9

DuMOR® Poultry Layer 16% Crumble

FRF

FEED FOR EGG PRODUCING POULTRY

CAUTION: USE ONLY AS DIRECTED

GUARANTEED ANALYSIS

Crude Protein (min.)	16.00%
Lysine (min.)	0.70%
Methionine (min.)	0.35%
Crude fat (min.)	2.50%
Crude fiber (max.)	7.00%
Calcium (Ca) (min.)	3.80%
Calcium (Ca) (max.)	4.80%
Phosphorus (P) (min.)	0.50%
Salt (NaCl) (min.)	0.25%
Salt (NaCl) (max.)	0.75%

INGREDIENTS

Processed Grain By-products, Grain Products, Calcium Carbonate, Plant Protein Products, Animal Protein Products, Salt, DL-methionine, L-Lysine, Vitamin E Supplement, Pyridoxine Hydrochloride, Menadione Sodium Bisulfite Complex, Vitamin B₁₂ Supplement, Vitamin A Supplement, Riboflavin Supplement, Nicotin Supplement, Folic Acid, Choline Chloride, Calcium Pantothenate, Biotin, Vitamin D₃ Supplement, Manganous Oxide, Zinc Oxide, Copper Sulfate, Calcium Iodate, Sodium Selenite

RUMINANT MEAT AND BONE MEAL FREE 60Y9 FRF-G 02

DIRECTIONS

For hens producing eggs for human consumption, begin feeding this product as sole ration at approximately 18 weeks of age (prior to onset of laying). For breeding hens, begin feeding as sole ration this product one (1) month prior to egg production.

IMPORTANT

A feeding program is only as effective as the management practices followed.

CAUTION

Store in a dry, well ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, abortion or death.



49394 05738

Manufactured For:

Tractor Supply Co.

200 Powell Place Brentwood, TN 37027

Feed Questions? Please Call 1-888-719-8066

50 lb (22.67 kg) Net Weight


0046445

DuMOR Poultry
Layer 16% Crumble

0046445


12-5-11
60Y9

1. What is the main ingredient (or group of ingredients) in this feed?
2. What is the percentage of Crude Protein?
3. What is the percentage of Crude Fat?
4. Is this a medicated feed?
5. How many active drug ingredients are in this feed?
6. Are there any limitations or warnings? If yes, what are they?
7. How many pounds of ingredients are included in this bag?



Credit: Illustration by Kathryn Born

<http://www.techwi.org/chicken-meat-cuts-chart.html>
http://www.waltkoch.com/Images/Turkey_Cuts.jpg



<http://www.techwi.org/chicken-meat-cuts-chart.html>
http://www.walkoch.com/Images/Turkey_Cuts.jpg