

Livestock

Pig: How to Read a Feed Tag

Use the feed tag below to answer the following questions.

Decision-Making

In this activity you will:

- learn how to read a feed tag.

PIG GROWER MEDICATED

FOR PIGS FROM 30 POUNDS TO 75 POUNDS

ADMINISTER TO SWINE IN A COMPLETE FEED FOR REDUCTION OF THE INCIDENCE OF CERVICAL ABSCESES; TREATMENT OF BACTERIAL SWINE ENTERITIS (SALMONELLOSIS OR NECROTIC ENTERITIS CAUSED BY *Salmonella choleraesuis* AND VIBRIONIC DYSENTERY), MAINTENANCE OF WEIGHT GAINS IN THE PRESENCE OF ATROPHIC RHINITIS.

ACTIVE DRUG INGREDIENT

CHLORTETRACYCLINE	100 G/TON
SULFATHIAZOLE	0.011% (100 G/TON)
PENICILLIN	50 G/TON

GUARANTEED ANALYSIS

CRUDE PROTEIN	MIN 18.00%
LYSINE	MIN 1.10%
CRUDE FAT	MIN 6.50%
CRUDE FIBER	MAX 4.00%
CALCIUM	MIN 0.60%
CALCIUM	MAX 1.10%
PHOSPHORUS	MIN 0.55%
SALT	MIN 0.40%
SALT	MAX 0.90%
SELENIUM	MIN 0.30 PPM
ZINC	MIN 140.00 PPM

INGREDIENTS

Grain Products, Plant Protein Products, Processed Grain By-Products, Animal Fat, Animal Protein Products, Calcium Phosphate, Lignin Sulfonate, Ground Limestone, Salt, L-Lysine Monohydrochloride, Methionine Supplement, Zinc Oxide, Zinc Sulfate, Ferrous Sulfate, Manganous Oxide, Copper Sulfate, Calcium Iodate, Sodium Selenite, Vitamin A Acetate, Vitamin D-3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulphite, Riboflavin Supplement, Niacin, Calcium Pantothenate, Vitamin B-12 Supplement, Thiamine Monohitrate, Folic Acid, Choline Chloride, Pyridoxine Hydrochloride, Biotin, Ethoxyquin (As A Preservative)

FEEDING DIRECTIONS

Feed as the only ration to pigs weighing from 30 pounds to 75 pounds bodyweight.

CAUTION: In order to obtain the desired performance results, the animals should be self fed.

WARNING: Withdraw 7 days prior to slaughter; contains high levels of copper; do not feed to sheep.

MANUFACTURED BY:
SKILLATHON FEED

NET WEIGHT 50 POUNDS (22.7 KILOGRAMS)
OR AS SHOWN ON SHIPPING DOCUMENT

1. What is the main ingredient in this feed?
2. How many active drug ingredients are in this feed?
3. What is the minimum crude protein level?
4. For how many days prior to slaughter should this feed be removed?
5. What is the minimum crude fat level of this diet?
6. Is ground limestone included in the ingredients of this diet?
7. At what weight range should this ration be fed?
8. What is the range for the calcium content of this feed?

Adapted from materials created by Dan Frobose, Agr. & Nat. Res. Agent, Wood County

Prepared By: Jodi Black, State Extension Associate, 4-H/Animal Sciences; Steven Moeller, State Swine Extension Specialist